



MEGA FORTRIS
G R O U P

INDICATIVE SEAL

CABLE PLUS XXL (CBP XXL)

Fixed Length Seal

Versatility and practicability in one seal for comprehensive indication sealing.

Cable Plus XXL is a user-friendly and high tamper-evident seal. The seal is designed with a large plastic flap for bigger identifier marking space and quicker identification. The seal is small in size hence suitable for indication and security purposes. These seals include the BioSphere bio-additive.

To provide eco-conscious solutions on a wide array of applications, all Mega Fortris' security seal product lines with plastic content will include the BioSphere bio-additive from 13th May 2024

Applications:


- Authentication Tagging
- Logistics
- Retail Applications
- F&B Applications




Our biodegradable plastic additives go deeper, allowing microbes to consume the C-C bonds within plastic's structure at a macromolecular level. This increases the surface area of plastic products and enables plastophilic microbes to attach to the polymer's newfound cavities. So, unlike regular plastic that can sit in a landfill for hundreds or thousands of years, plastic enhanced with BioSphere attracts over 600 different types of microbes that effectively digest and consume it.

PREVENTION · PROTECTION · PEACE OF MIND






LASER MARKING OPTION



VIEW APPLICATION VIDEO



- 1 The Cable Plus XXL is moulded with high-impact ABS material with non-preformed galvanised steel wire to show clear evidence of tampering.
- 2 One-way locking mechanism is embedded for fast and easy application.
- 3 Extra large marking flap improves laser markings definition, visibility, and identification.
- 4 Irreversible identifiers such as name, logo, barcode, serial number and QR code are laser-marked on the flap.
- 5 These seals include the BioSphere bio-additive.



TECHNICAL SPECIFICATIONS

PRODUCT -CABLE PLUS XXL (CBPXXL 200)

Code	Material	Locking Length (mm)	Locking Size (mm)	Tensile Strength (kgf)	Marking Area (mm)	Max Marking Digits
CBPXXL 200	Plastic : High-impact Acrylonitrile Butadiene Styrene (ABS) Temperature Range: -5°C to 80°C Cable: Galvanised Steel Wire	193 (7.6 in)	ø 2 (0.08 in)	>100 (>220.5 lbf)	27 x 40 (1.1 x 1.6 in)	Serial no : 12 Barcode : 12

PACKAGING

Carton	Quantity	Dimensions (mm)	Gross Weight (kg)	Volume (m³)	Standard Pastel Colours
Inner	TBC	TBC	TBC	TBC	Flap : WH PSYL PSOR PSRD PSBL PSGN BK

Carton size and weight vary according to cable length. Figures shown in the table are for the standard cable length packaging. Please contact us for additional details.

For colour customisations, kindly contact us for further information.

Updated Date : 29 July 2025